

AMENDMENTS TO THE CLAIMS

The following listing of claims replaces all prior versions of the claims in the Application. With reference to the listing it is noted that, herewith, claims 1, 3, 7, 9, 11, and 13-18 are amended.

Listing of Claims

1. (Currently Amended) An image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising:

an image sensing device, a memory device, a control device, an optical finder, a display device having at least an electronic view finder function and a review function of playing back and displaying the sensed image immediately after an image sensing operation, ~~an electronic view finder setting device adapted to turn on and off said electronic view finder function~~ a display setting device adapted to turn on and off said display device, and a review setting device adapted to turn on and off said review function before an image sensing operation of said image sensing device,

wherein said control device stores an image signal output from said image sensing device in said memory device ~~while said display device is disabled~~,

enables said display device immediately after the storage in the case that said review function ~~is~~ had been previously turned on, regardless of setting state of said display setting device, and

plays back and displays the image signal stored in said memory device on said display device ~~regardless of whether said electronic view finder function is turned on or off~~.

2. (Previously Amended) The apparatus according to claim 1, wherein said display device comprises a liquid crystal display, and is disabled by turning off only a backlight.

3. (Currently Amended) An image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising:

an image sensing device, a memory device, a control device, an optical finder, a display device having at least an electronic view finder function and a review function of playing back and displaying the sensed image immediately after an image sensing operation, ~~an electronic view finder setting device adapted to turn on and off said electronic view finder function~~ a display setting device adapted to turn on and off said display device, and a review setting device adapted to turn on and off said review function before an image sensing operation of said image sensing device,

wherein said control device stores an image signal output from said image sensing device in said memory device ~~while said display device is disabled~~,

enables said display device immediately after the storage in the case that said review function is had been previously turned on, regardless of setting state of said display setting device,

plays back and displays the image signal stored in said memory device on said display device for a predetermined period of time, and

then sets said display device to a state instructed by said ~~electronic view finder~~ display setting device.

4. (Previously Amended) The apparatus according to claim 3, wherein said display device comprises a liquid crystal display, and is disabled by turning off only a backlight.

Claims 5-6 (Canceled)

7. (Currently Amended) An image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving Image on a recording medium, comprising:

B1
cont

an image sensing device, a memory device, a control device, an optical finder, a display device having at least an electronic view finder function and a review function of playing back and displaying the sensed image immediately after an image sensing operation, ~~an electronic view finder setting device adapted to turn on and off said electronic view finder function~~ a display setting device adapted to turn on and off said display device, and a review setting device adapted to turn on and off said review function before an image sensing operation of said image sensing device,

wherein said control device stores an image signal output from said image sensing device in said memory device ~~while said display device is disabled~~,

enables said display device immediately after the storage In the case that said review function is had been previously turned on, regardless of setting state of said display setting device, and

plays back and displays the image signal stored in said memory device on said display device for a time period while a predetermined switch is continuously turned on.

8. (Previously Amended) The apparatus according to claim 7, wherein said display device comprises a liquid crystal display, and is disabled by turning off only a backlight.

9. (Currently Amended) An image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising:

an image sensing device, a memory device, a recording device, a control device, an

B1
cont

optical finder, a display device having at least an electronic view finder function and a review function of playing back and displaying the sensed image immediately after an image sensing operation, ~~an~~ ~~electronic view finder setting device adapted to turn on and off said electronic view finder function~~ a display setting device adapted to turn on and off said display device, and a review setting device adapted to turn on and off said review function before an image sensing operation of said image sensing device,

wherein said control device stores an image signal output from said image sensing device in said memory device ~~while said display device is disabled~~,

enables said display device immediately after the storage in the case that said review function is had been previously turned on, regardless of setting state of said display setting device,

plays back and displays the image signal stored in said memory device on said display device, and

transfers the image signal stored in said memory means to record the image signal on said recording device.

10. (Previously Amended) The apparatus according to claim 9, wherein said display device comprises a liquid crystal display, and is disabled by turning off only a backlight.

11. (Currently Amended) An image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising:

an image sensing device, a memory device, a recording device, a control device, an optical finder, a display device having at least an electronic view finder function and a review function of playing back and displaying the sensed image immediately after an image sensing operation, ~~an~~

B1
Cont
~~electronic view finder setting device adapted to turn on and off said electronic view finder function~~ a
display setting device adapted to turn on and off said display device, and a review setting device
 adapted to turn on and off said review function before an image sensing operation of said image
sensing device,

wherein said control device stores an image signal output from said image
 sensing device in said memory device ~~while said display device is disabled~~,

enables said display device immediately after the storage in the case that said
 review function ~~is~~ had been previously turned on, regardless of setting state of said display
setting device,

plays back and displays the image signal stored in said memory device on said
 display device for a time period while a predetermined switch is continuously turned on, and

transfers the image signal stored in said memory device to record the image
 signal on said recording device.

12. (Previously Amended) The apparatus according to claim 11, wherein said display device
 comprises a liquid crystal display, and is disabled by turning off only a backlight.

13. (Currently Amended) A control method, of an image processing apparatus comprising a
display device, for recording, and playing back and displaying a sensed still image and/or
 moving image on a recording medium, comprising the steps of:

storing an image signal output from an image sensing device in a memory ~~while~~
~~a display device is disabled~~, said display device having at least an electronic view finder
 function, a review function of playing back and displaying the sensed image immediately after

B1
Cont

an image sensing operation, ~~an electronic view finder setting device adapted to turn on and off~~
~~said electronic view finder function~~ a display setting device adapted to turn on and off said
display device, and a review setting device adapted to turn on and off said review function before
an image sensing operation of said image sensing device;

enabling said display device immediately after the storage in the case that said
 review function is had been previously turned on, regardless of setting state of said display
setting device; and

playing back and displaying the image signal stored in said memory on said
 display device ~~regardless of whether said electronic view finder function is turned on or off.~~

14. (Currently Amended) A control method, of an image processing apparatus comprising a
display device, for recording, and playing back and displaying a sensed still image and/or
 moving image on a recording medium, comprising the steps of:

storing an image signal output from an image sensing device in a memory ~~while a~~
~~display device is disabled~~, said display device having at least an electronic view finder function,
 a review function of playing back and displaying the sensed image immediately after an image
 sensing operation, ~~an electronic view finder setting device adapted to turn on and off said~~
~~electronic view finder function~~ a display setting device adapted to turn on and off said display
device, and a review setting device adapted to turn on and off said review function before an
image sensing operation of said image sensing device;

enabling said display device immediately after the storage in the case that said
 review function is had been previously turned on, regardless of setting state of said display
device;

playing back and displaying the image signal stored in said memory on said display device for a predetermined period of time; and

then setting said display device to a state instructed by said electronic view finder setting device.

B1
Cont

15. (Currently Amended) A control method, of an image processing apparatus comprising a display device, for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising the steps of:

storing an image signal output from an image sensing device in a memory ~~while a display device is disabled~~, said display device having at least an electronic view finder function, a review function of playing back and displaying the sensed image immediately after an image sensing operation, ~~an electronic view finder setting device adapted to turn on and off said electronic view finder function~~ a display setting device adapted to turn on and off said display device, and a review setting device adapted to turn on and off said review function before an image sensing operation of said image sensing device;

enabling said display device immediately after the storage in the case that said review function is had been previously turned on, regardless of setting state of said display device; and

playing back and displaying the image signal stored in said memory on said display device for a time period while a predetermined switch is continuously turned on.

16. (Currently Amended) A control method, of an image processing apparatus comprising a display device, for recording, and playing back and displaying a sensed still image and/or

moving image on a recording medium, comprising the steps of:

B1
Cont

storing an image signal output from an image sensing device in a memory ~~while a display device is disabled~~, said display device having at least an electronic view finder function, a review function of playing back and displaying the sensed image immediately after an image sensing operation, ~~an electronic view finder setting device adapted to turn on and off said electronic view finder function~~ a display setting device adapted to turn on and off said display device, and a review setting device adapted to turn on and off said review function before an image sensing operation of said image sensing device;

enabling said display device immediately after the storage in the case that said review function ~~is~~ had been previously turned on, regardless of setting state of said display setting device; and

playing back and displaying the image signal stored in said memory on said display device for a time period while a predetermined switch is continuously turned on, and

setting said display device to a state instructed by said electronic view finder setting device.

17. (Currently Amended) A control method, of an image processing apparatus comprising a display device, for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising the steps of:

storing an image signal output from image an sensing device in a memory ~~while a display device is disabled~~, said display device having at least an electronic view finder function, a review function of playing back and displaying the sensed image immediately after an image sensing operation, ~~an electronic view finder setting device adapted to turn on and off said~~

~~electronic view finder function~~ a display setting device adapted to turn on and off said display device, and a review setting device adapted to turn on and off said review function before an image sensing operation of said image sensing device;

B¹
cont
enabling said display device immediately after the storage in the case that said review function is had been previously turned on regardless of setting state of said display setting device;

playing back and displaying the image signal stored in said memory on said display device for a time period while a predetermined switch is continuously turned on; and

transferring the image signal stored in said memory to record the image signal on a recording device.

18. (Currently Amended) A control method₁ of an image processing apparatus comprising a display device, for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising the steps of:

storing an image signal output from an image sensing device in a memory ~~while a display device is disabled~~, said display device having at least an electronic view finder function, a review function of playing back and displaying the sensed image immediately after an image sensing operation, ~~an electronic view finder setting device adapted to turn on and off said electronic view finder function~~ a display setting device adapted to turn on and off said display device, and a review setting device adapted to turn on and off said review function before an image sensing operation of said image sensing device;

enabling said display device immediately after the storage in the case that said review function is had been previously turned on, regardless of setting state of said display

setting device;

playing back and displaying the image signal stored in said memory on said display device for a time period while a predetermined switch is continuously turned on; and

transferring the image signal stored in said memory to record the image signal in a recording device, and

setting said display device to a state instructed by said electronic view finder setting device.

19. (Original) A storage medium storing a program for implementing a control method of an image processing apparatus of claim 13.

20. (Original) A storage medium storing a program for implementing a control method of an image processing apparatus of claim 14.

21. (Original) A storage medium storing a program for implementing a control method of an image processing apparatus of claim 15.

22. (Original) A storage medium storing a program for implementing a control method of an image processing apparatus of claim 16.

23. (Original) A storage medium storing a program for implementing a control method of an image processing apparatus of claim 17.

24. (Original) A storage medium storing a program for implementing a control method of an image processing apparatus of claim 18.

25. (Withdrawn) An image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising:

image sensing means, recording means, and display means, and

said apparatus having:

a first recording mode for displaying an image signal output from said image

sensing means on said display means, and then recording the image signal in said recording means in an image signal display format; and

a second recording mode for recording an image output from said image sensing means in said recording

means in an image signal sense format, and then

displaying the image signal on said display means.

26. (Withdrawn) An image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising:

image sensing means, signal processing means, recording means, and display means,

said image processing apparatus having:

a first signal format corresponding to an input image signal of said display means; and

a second signal format corresponding to an output image signal of said

image sensing means, and

said apparatus further having:

a first recording mode for displaying an image signal output from said image sensing means on said display means by converting the image signal into the first signal format by said signal processing means, and then recording the image signal in said recording means; and

a second recording mode for recording an image output from said image sensing means in said recording means in the second signal format, and then displaying the image signal on said display means by converting the image signal into the first signal format by said signal processing means.

27. (Withdrawn) An image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising:

image sensing means, signal processing means, compression means, recording means, and display means,

said image processing apparatus having:

a first signal format corresponding to an input image signal of said display means;

and

a second signal format corresponding to an output image signal of said image sensing means, and

said apparatus further having:

a first recording mode for displaying an image signal output from said image sensing means on said display means by converting the image signal into the first signal format by

said signal processing means, and

then compressing the converted image signal by said compression means and recording the compressed signal in said recording means; and

a second recording mode for recording an image signal output from said image sensing means in the second signal format,

converting the recorded image signal into the first signal format by said signal processing means, and

displaying the converted signal on said display means.

28. (Withdrawn) A control method of an image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising:

the first recording mode step of displaying an image signal output from image sensing means on display means, and then recording the image signal in recording means in an image signal display format;

the second recording mode step of recording an image signal output from said image sensing means in said recording means in an image signal sense format, and then displaying the image signal on said display means; and

the step of selecting one of the first and second recording mode steps.

29. (Withdrawn) A control method of an image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising:

the first recording mode step of displaying an image signal output from image sensing means on display means by converting the image signal into a first signal format

corresponding to an input image signal of said display means, and recording the image signal in recording means;

the second recording mode step of recording an image signal output from said image sensing means in said recording means in a second signal format corresponding to an output image signal of said image sensing means, and then displaying the image signal on said display means by converting the image signal into the first signal format; and

the step of selecting one of the first and second recording mode steps.

30. (Withdrawn) A control method of an image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising:

the first recording mode step of displaying an image signal output from image sensing means on display means by converting the image signal into a first signal format corresponding to an input image signal of said display means, compressing the converted image signal, and recording the compressed image signal in recording means;

the second recording mode step of recording an image signal output from said image sensing means in said recording means in a second signal format corresponding to an output image signal of said image sensing means, converting the recorded image signal into the first signal format, and displaying the converted image signal on said display means; and

the step of selecting one of the first and second recording mode steps.

31. (Withdrawn) A storage medium storing a program for implementing a control method of an image processing apparatus of claim 28.

32. (Withdrawn) A storage medium storing a program for implementing a control method of an image processing apparatus of claim 29.

*B1
com*

33. (Withdrawn) A storage medium storing a program for implementing a control method of an image processing apparatus of claim 30.
